

Simon Whitaker MA VetMB MRCVS
Paul McCarthy BVSc MANZCVSc (Med)
Jonathon Nott BVSc (Hons) MANZCVSc (Surg)
Sue Graykowski BVSc
Sacha Woodburn BVSc (Hons)
Tiarna Barclay BVSc
Kimberley Chainey BVSc
Melanie Ngo BVetBiol/DVM
Clare Bumak BVSc (Hons1)



278 Brunker Road
Adamstown NSW 2289
Telephone 02 4957 2269
Facsimile 02 4952 8666
Email brunkerroadvets@bigpond.com.au
Website www.brunkerroadvets.com.au

POST-OPERATIVE INSTRUCTIONS FOR DOGS

What should I do when my pet arrives home after its operation?

Keep your pet warm – Keep indoors overnight.
Provide fresh water. Offer a very small meal.
Discourage activity that will cause excessive stretching of the incision, especially during the first few days post-operatively.

My pet seems very sleepy, is this normal?

Your pet has been given a general anaesthetic and/or a sedative.
These drugs can take a number of hours to wear off and may cause some patients to appear drowsy for a day or so.

Why has my pet's foreleg and/or neck been clipped?

Hair may have been removed to allow for blood collection and/or anaesthetic. There may be a small dressing on the leg, this can be removed the following day unless otherwise instructed.

My pet has developed a slight cough since the operation...

Your pet may have had a tube placed in their trachea (windpipe) during the anaesthetic – this can cause mild irritation. If so it will settle down over a few days.

What should I do if my pet is licking its incision or chewing the sutures?

Your pet may try to clean the operation site, however, there is a danger of the sutures being pulled out, the incision site opening or infection being introduced into the incision. An Elizabethan-type collar is recommended to prevent access to the incision. Woundgard or another bitter agent can be applied topically around the incision to discourage licking. If your pet does remove any sutures please call us as soon as possible. Some surgeries may have dissolving sutures. You will be advised on your pet's discharge.

What should the incision look like, and when should I be concerned?

The incision should be clean and the skin a normal or slightly reddish/pink colour. Bruising may appear a few days after the operation, and in some cases can seem excessive in comparison to the size of the incision. Please contact us if you see: -

1. Continuous seepage or a large quantity of blood.
2. Intermittent blood seepage continuing for more than 24 hours.
3. Any swellings, excessive redness of the skin or discharge.

When do the sutures need removing?

Most skin sutures are removed 14 days after the operation. Some surgeries may have dissolving sutures. Either way, your pet will need a recheck / and / or suture removal in 14 days. Please arrange an appointment time for this (no charge).

When can my pet resume a normal active life?

Your pet must be restricted to exercise on a leash over the 7 day period following surgery to assist with the healing process. Swimming or bathing should be delayed until the sutures are removed, and / or the site checked.

If you have been given any medication: -

Read the label carefully and give all medication as instructed.

If you have problems please contact the **Brunker Road Veterinary Centre on 49572269**

